AUG MEDICAL

Quality. Defined

301

DIAGNOSTICS



AUG MEDICAL

Quality. Defined

WHY US



AUG Medical is an accredited manufacturer of high-quality laryngoscopes, diagnostics, airway management devices, video laryngoscopes and otoscopes.

We are a direct supplier and distributor of medical equipment with regional hubs in the United Arab Emirates, the United States, Poland and Hong Kong. Our UAE hub serves the Middle East and Africa, the United States covers North and South America, Poland serves Europe and Hong Kong serves Asia Pacific. Our goal is to provide our customers with certified, standardised products of premium quality at competitive prices, backed by maintained stock for fast and efficient delivery.

Responsive customer service is very important to us. Our team answers questions and resolves concerns in several languages, in your time zone. Hospitals, clinics, ambulance services and distributors in more than 45 markets work with AUG, and every order comes with the documentation procurement teams need. We constantly improve our range to give our customers access to the best products.

The confidence placed in our brand and the satisfaction of our customers are the result of effective quality management and internal audits under ISO 9001 and ISO 13485. Our devices carry the CE mark and are FDA listed, and our production is GMP-controlled.

Thank you for choosing AUG MEDICAL.

CE MARK FDA APPROVED **ISO 9001**
ISO 13485

AUG MEDICAL

Quality. Defined

INDEX

		PG No.
1.	**DIGISKOP®**	
	VIDEO OTOSCOPE	1-2
2.	**OPTIKA®**	
	WALLMOUNTED DIAGNOSTIC STATION	3-5
	OTOSCOPE	6-9
	OPHTHALMOSCOPE	10-11
	OTO-OPHTHALMOSCOPE SETS	12-13
	DIAGNOSTIC SETS & PRO-CHARGER	14
3.	**NANOSKOP®**	
	OTOSCOPE & POCKET TORCH	15-17
	OPHTHALMOSCOPE	18
	OTO-OPHTHALMOSCOPE SETS	19-21
4.	**SLIMSKOP®**	
	OTOSCOPE	22-23
	OPHTHALMOSCOPE	24
	OTO-OPHTHALMOSCOPE SET	25

AUG MEDICAL

Quality. Defined

INDEX

5. DERMOSKOP®

NANO DERMATOSCOPE 26

STANDARD DERMATOSCOPE 27

6. ACCESSORIES

EARTIPS & POUCH, BOX 28

LAMPS 29

AUG MEDICAL

Quality. Defined

DIGISKOP® Series

DIGISKOP® | VIDEO OTOSCOPE i01

The AUG® DIGISKOP® Video Otoscope is a hand-held medical device that includes a video camera for capturing a video image of the outer area canal and/or tympanic membrane. The image is displayed directly on a built-in screen.
The AUG video otoscope is preset for its focus, brightness level and white balance. It is powered by one 18650 batteries for a continuous operation of about 2 hours.



An DIGISKOP® Video Otoscope Are Among The Instruments With LED Light Output. Optimized Work Flow With Excellent Energy Efficiency On Stand-by-mode. Dimmable Switch For Light Control With charging time of two hours. 3 inch Led screen with 1280x720 pixel view.
The device may also be coupled with flexible camera module to monitor the health condition of the nasal cavity and mouth cavity.
USB output, Easy to storage and establish image or video. SD card with space of 32GB.

AUG MEDICAL

Quality. Defined

PROFESSIONAL



DIGISKOP® | VIDEO OTOSCOPE i01

FEATURES

- High resolution image with 1024x720 pixels.
- Easy to carry hand-held device for moveable diagnosis treatments.
- Wide angle lens provide wide field of view.
- Photo and video recording with screen rotation for easy observation and review.
- Excellent ability to store data with memory of 32GB.
- Ideal device for cerumen management.
- Light weight, compact and ergonomic design.
- Efficient and cost-effective otoscopic examinations.
- Special disposable devices to avoid infection and quickly inserting and removing of scope tube.
- **Outer ear canal**: tympanic membrane, and detection of hearing aids devices.
- **Nasal cavity:** Asal vestibule, nasal septum, inferior turbinate and inferior nasal meatus, middle turbinate and middle nasal meatus.
- **Mouth cavity**: inspection of palate, tongue and anterior of oropharynx.
- USB type-C of the charging base.
- USB port to connect to the PC,MAC or Laptop.
- Charging indicator light.
- Docking charge for easy access.
- Rechargeable lithium battery with capacity of 1350mAh.

REFERENCE

Digital Otoscope Host **W/** Aluminum Handgrip, Built-in LCD, No wiring, Built-in battery with Disposable Ear Tips

60.550.100 LED





OPTIKA® | WALLMOUNTED DIAGNOSTIC STATION

The AUG® OPTIKA® Wall-Mounted Diagnostic Station Is The Perfect Solution For All Hospitals And Clinics. An Innovative & Modular Design To Meet The Needs Of All Clinics And Practitioners. The Main Unit, comes with Two Dimmable Light Control Handles That Enable The Practitioner To Use Two Instruments Heads Simultaneously: An Otoscope And An Ophthalmoscope, Furthermore The Modular Can Be Customized To Meet Your Needs By Adding A Dispenser For Single-Use Ear Tips For Otoscopes, Clock-type Sphygmomanometers, Thermometers, & A Throat Illuminator Which Functions As A Light Torch.



An OPTIKA® Operating Otoscope Are Among The Instruments All Heads With LED's Or Xenon-Halogens Work Best With These Handles By Regulating The Light Output, The Lamps Service Life Is Prolonged As They Are German Build Quality And The Intensity Of The Light Is Maintained. Optimized Work Flow With Excellent Energy Efficiency On Stand-by-mode. Dimmable Switch For Light Control With A Constant Output 3.5V, Input Voltage Connection 110-240 V, 50 Hz With Shock Resistant Reliability. Easily Removable Wallboard Allows Easy Mounting Of The Full Unit On The Wall.

AUG MEDICAL

Quality. Defined

3.5V LED | 3.5V XENON | PROFESSIONAL

OPTIKA® WALLMOUNTED DIAGNOSTIC STATION



REFERENCE | STATION TYPE I

COMPLETE STATION WITH OTOSCOPE, OPHTHALMOSCOPE, EARTIPS DISPENSER, THERMOMETER & BP APPARATUS.

60.500.250	LED	60.500.255	XENON
60.500.251	LED	60.500.256	XENON



REFERENCE | STATION TYPE II

COMPLETE STATION WITH OTOSCOPE, OPHTHALMOSCOPE, & EARTIPS DISPENSER

60.500.200	LED	20.000.205	XENON
60.500.201	LED	60.500.206	XENON

FEATURES

OTOSCOPE

- Enclosed fiber optic core with 4.00mm diameter ensuring brilliant light transmission.
- 3.5V German LED / Xenon technology gives brighter illumination.
- 4x magnifying swiveling lens.
- Easy replacement of bulb.

OPHTHALMOSCOPE

- 3.5V German LED / Xenon technology gives brighter illumination.
- 5 Different Apertures with 2 RED-FREE filters & 1 neutral options;



- **Small Spot:** For reduced reflection with small pupils.
- **Large Spot:** For normal fundoscopy.
- **Semi-Circle:** For reduced reflection with small pupils.
- **Fixation Star:** For determination of central or eccentric fixation, suitable for examining children.
- **Green / Blue Filter:** For contrast enhancement when assessing six vascular disorders.
- **Slit / Streak:** Helpful in determining various levels of lesions, particularly tumors and edematous disc.
- Color coded lens for excellent resolution:

+	0	1	2	3	4	5	6	7	8	9	10	12	15	20	40
-		1	2	3	4	5	6	7	8	9	10	15	20	25	30	35

EARTIPS DISPENSER

- Compact & ergonomic
- Semi-Transparent Tubes with Diameter Tag.
- Each tube can hold upto 60 eartips & total of 240 in dispenser.
- Easy to install with station wallboard.

DIGITAL THERMOMETER

- Compact & ergonomic.
- Measurement response time of 1 second.
- Memory capacity of 10 memory readings.
- °C readings.
- Auto shut-off (60 seconds)
- Battery life is approximately 4,000 uses.
- Supplied with 2 x AAA batteries.

CLOCK-TYPE SPHYGMOMANOMETERS

- Big size Dial for better readability.
- Maximum error tolerance of +/-3mmHg
- Maximum measured values 300mmHg
- Latex & Mercury Free
- Classic look & Coiled, expandable rubber tubing.
- Special cuff, control valve, bladder and bulb more durable.
- Square shape printed dial with contrast color background.

AUG MEDICAL
Quality. Defined

ACCESSORIES



REFERENCE | STATION ACCESSORIES

OPTIKA METAL OTOSCOPE HEAD WITH BULB

60.500.280 LED 60.500.281 XENON



REFERENCE | STATION ACCESSORIES

OPTIKA PLASTIC OTOSCOPE HEAD WITH BULB

60.500.285 LED 60.500.286 XENON



REFERENCE | STATION ACCESSORIES

OPHTHALMOSCOPE HEAD WITH BULB

60.500.290 LED 60.500.291 XENON



REFERENCE | STATION ACCESSORIES

DISPENSER FOR EARTIPS

60.500.270



REFERENCE | STATION TYPE VI

STATION WITH 2 HANDLES ONLY


60.500.262




REFERENCE | STATION ACCESSORIES

SPARE POWER CABLE FOR STATION

60.500.274






OPTIKA® | F.O OTOSCOPES

Elegant Otoscope Designed With An All Metal Housing And Scratch Resistant Glass Lenses Which Guarantee A Lifetime Of Maintenance-free Use And Improve The Efficiency Of Examinations And Diagnoses. High Quality Bayonet Fitting Metal Handle With Knurled Surface Which Makes The Product Grip Secured And Efficient. AUG® Optika® Otoscope Has Excellent Quality And High Durability With Long Lasting Companion For Ear Diagnostics. Unique German Led Technology Gives Concentrated Bright Light For Perfect Illumination With An Advance Feature Of Dimmable Switch.

OPTIKA® | OPHTHALMOSCOPE

Elegant Opthalmoscope Designed With A Black Plastic Head Housing And Excellent Optics With Best Colour Rendering In Minimum Dimensions, Ideal For Rounds And House Calls. AUG® Special Optics Produce Crisp, Clear Images Of The Whole Area Under Examination And Minimize Reflections Which Guarantee A Lifetime Of Maintenance-free Use And Improve The Efficiency Of Examinations And Diagnoses. High Quality Bayonet Fitting Metal Handle With Knurled Surface Which Makes The Product Grip Secured And Efficient AUG® Optika® Ophthalmoscope Has Excellent Quality And High Durability With Long Lasting Companion For Ear Diagnostics. Unique German LED Technology Gives Concentrated Bright Light For Perfect Illumination With An Advance Feature Of Dimmable Switch.







OPTIKA® | F.O LED OTOSCOPE

FEATURES

- Enclosed fiber optic core with 4.00mm diameter
- High quality fibers ensuring brilliant light transmission.
- 2.5V German LED technology gives brighter illumination.
- 4x magnifying swiveling lens.
- Light strength can be easily regulated with dimmable switch.
- Operated with 2 x C size batteries.
- Premium chrome plated finishing.
- Disposable Ear Funnels Dia Ø 2.5mm, 3.0mm, 4.0mm, & 5.0mm
- In Fabric Pouch with free 14 disposable ear funnels.
- Also available in hard plastic case with spare lamp.
- Easy replacement of bulb.

REFERENCES (In Pouch)

20.000.300

REFERENCES (In Case) WSB

20.000.305



OPTIKA® | F.O XENON OTOSCOPE

FEATURES

- Enclosed fiber optic core with 4.00mm diameter
- High quality fibers ensuring brilliant light transmission.
- 2.5V German Xenon technology gives brighter illumination.
- 4x magnifying swiveling lens.
- Light strength can be easily regulated with dimmable switch.
- Operated with 2 x C size batteries.
- Premium chrome plated finishing.
- Disposable Ear Funnels Dia Ø 2.5mm, 3.0mm, 4.0mm, & 5.0mm
- In Fabric Pouch with free 14 disposable ear funnels.
- Also available in hard plastic case with spare lamp.
- Easy replacement of bulb.

REFERENCES (In Pouch)

20.000.301

REFERENCES (In Case) WSB

20.000.306

AUG MEDICAL

Quality. Defined



OPTIKA® | F.O RECHARGEABLE OTOSCOPE

FEATURES

- Enclosed fiber optic core with 4.00mm diameter
- High quality fibers ensuring brilliant light transmission.
- 3.5V German LED / XHL technology gives brighter illumination.
- 4x magnifying swiveling lens.
- Light strength can be easily regulated with dimmable switch.
- Operated with AUG® 3.5V Ni-MH 1000mAh Rechargeable Battery (Included).
- Can be easily recharge with AUG® Pro Charger.
- 2 hour charge gives more than 3 hours working capacity with 3.5V Ni-MH 1000mAh rechargeable battery.
- Premium chrome plated finishing.
- Disposable Ear Funnels Dia Ø 2.5mm, 3.0mm, 4.0mm, & 5.0mm
- In Fabric Pouch with free 14 disposable ear funnels.
- Also available in hard plastic case with spare lamp.
- Easy replacement of bulb.

REFERENCES (In Pouch)

- 20.000.302 LED
- 20.000.303 XENON

REFERENCES (In Case) WSB

- 20.000.307 LED
- 20.000.308 XENON



Plastic Head

OPTIKA® | F.O LED OTOSCOPE

FEATURES

- Enclosed fiber optic core with 4.00mm diameter
- High quality fibers ensuring brilliant light transmission.
- 2.5V German LED technology gives brighter illumination.
- 4x magnifying swiveling lens.
- Superior quality plastic body of otoscope head.
- Light strength can be easily regulated with dimmable switch.
- Operated with 2 x C size batteries.
- Premium chrome plated finishing.
- Disposable Ear Funnels Dia Ø 2.5mm, 3.0mm, 4.0mm, & 5.0mm
- In Fabric Pouch with free 14 disposable ear funnels.
- Also available in hard plastic case with spare lamp.
- Easy replacement of bulb.

REFERENCES (In Pouch)

- 20.000.320

REFERENCES (In Case)

- 20.000.325

AUG MEDICAL

Quality. Defined



Plastic Head

OPTIKA® | F.O XENON OTOSCOPE

FEATURES

- Enclosed fiber optic core with 4.00mm diameter
- High quality fibers ensuring brilliant light transmission.
- 2.5V German Xenon technology gives brighter illumination.
- 4x magnifying swiveling lens.
- Superior quality plastic body of otoscope head.
- Light strength can be easily regulated with dimmable switch.
- Operated with 2 x C size batteries.
- Premium chrome plated finishing.
- Disposable Ear Funnels Dia Ø 2.5mm, 3.0mm, 4.0mm, & 5.0mm
- In Fabric Pouch with free 14 disposable ear funnels.
- Also available in hard plastic case with spare lamp.
- Easy replacement of bulb.

REFERENCES (In Pouch)

- 20.000.321

REFERENCES (In Case) WSB

- 20.000.326



Plastic Head

OPTIKA® | F.O RECHARGEABLE OTOSCOPE

FEATURES

- Enclosed fiber optic core with 4.00mm diameter
- High quality fibers ensuring brilliant light transmission.
- 3.5V German LED / XHL technology gives brighter illumination.
- 4x magnifying swiveling lens.
- Light strength can be easily regulated with dimmable switch.
- Operated with AUG® 3.5V Ni-MH 1000mAh Rechargeable Battery (Included).
- Can be easily recharge with AUG® Pro Charger.
- 2 hour charge gives more than 3 hours working capacity with 3.5V Ni-MH 1000mAh rechargeable battery.
- Premium chrome plated finishing.
- Disposable Ear Funnels Dia Ø 2.5mm, 3.0mm, 4.0mm, & 5.0mm
- In Fabric Pouch with free 14 disposable ear funnels.
- Also available in hard plastic case with spare lamp.
- Easy replacement of bulb.

REFERENCES (In Pouch)

- 20.000.322 LED
- 20.000.323 XENON

REFERENCES (In Case) WSB

- 20.000.327 LED
- 20.000.328 XENON

AUG MEDICAL

Quality. Defined

OPTIKA® | LED OPHTHALMOSCOPE



FEATURES

- 2.5V German LED Lamp gives brighter illumination.
- 5 Different Apertures with 2 RED-FREE filters & 1 neutral options;



  - **Small Spot**: For reduced reflection with small pupils.
  - **Large Spot**: For normal fundoscopy.
  - **Semi-Circle**: For reduced reflection with small pupils.
  - **Fixation Star**: For determination of central or eccentric fixation, suitable for examining children.
  - **Green or Blue Filter**: For contrast enhancement when assessing six vascular disorders.
  - **Slit or Streak**: Helpful in determining various levels of lesions, particularly tumors and edematous disc.
- Color coded lens for excellent resolution:



- Light strength can be easily regulated with dimmable switch.
- Operated with 2 x C size batteries.
- Bayonet fitting based.
- Premium chrome plated finishing.
- In Fabric Pouch.
- Also available in hard plastic case with spare lamp.
- Easy replacement of bulb.

REFERENCES (In Pouch)

20.000.351

REFERENCES (In Case) WSB

20.000.355

OPTIKA® | XENON OPHTHALMOSCOPE



FEATURES

- 2.5V German Xenon Lamp gives brighter illumination.
- 5 Different Apertures with 2 RED-FREE filters & 1 neutral options;



  - **Small Spot**: For reduced reflection with small pupils.
  - **Large Spot**: For normal fundoscopy.
  - **Semi-Circle**: For reduced reflection with small pupils.
  - **Fixation Star**: For determination of central or eccentric fixation, suitable for examining children.
  - **Green or Blue Filter**: For contrast enhancement when assessing six vascular disorders.
  - **Slit or Streak**: Helpful in determining various levels of lesions, particularly tumors and edematous disc.
- Color coded lens for excellent resolution:



- Light strength can be easily regulated with dimmable switch.
- Operated with 2 x C size batteries.
- Bayonet fitting based.
- Premium chrome plated finishing.
- In Fabric Pouch.
- Also available in hard plastic case with spare lamp.
- Easy replacement of bulb.

REFERENCES (In Pouch)

20.000.352

REFERENCES (In Case) WSB

20.000.356

AUG MEDICAL

Quality. Defined

OPTIKA® | RC LED OPHTHALMOSCOPE



FEATURES

- 3.5V German LED Lamp gives brighter illumination.
- 5 Different Apertures with 2 RED-FREE filters & 1 neutral options;



  - **Small Spot**: For reduced reflection with small pupils.
  - **Large Spot**: For normal fundoscopy.
  - **Semi-Circle**: For reduced reflection with small pupils.
  - **Fixation Star**: For determination of central or eccentric fixation, suitable for examining children.
  - **Green or Blue Filter**: For contrast enhancement when assessing six vascular disorders.
  - **Slit or Streak**: Helpful in determining various levels of lesions, particularly tumors and edematous disc.
- Color coded lens for excellent resolution:

+	0	1	2	3	4	5	6	7	8	9	10	12	15	20	40	
-		1	2	3	4	5	6	7	8	9	10	15	20	25	30	35

- Light strength can be easily regulated with dimmable switch.
- Operated with AUG® 3.5V Ni-MH 1000mAh Rechargeable Battery (Included).
- Can be easily recharge with AUG® Pro Charger.
- 2 hour charge gives more than 3 hours working capacity with 3.5V Ni-MH 1000mAh rechargeable battery.
- Premium chrome plated finishing.
- Available in pouch, also in hard plastic case with spare lamp.
- Easy replacement of bulb.

REFERENCES (In Pouch)

20.000.353 LED

REFERENCES (In Case)

20.000.357 LED

OPTIKA® | RC XENON OPHTHALMOSCOPE



FEATURES

- 3.5V German Xenon Lamp gives brighter illumination.
- 5 Different Apertures with 2 RED-FREE filters & 1 neutral options;



  - **Small Spot**: For reduced reflection with small pupils.
  - **Large Spot**: For normal fundoscopy.
  - **Semi-Circle**: For reduced reflection with small pupils.
  - **Fixation Star**: For determination of central or eccentric fixation, suitable for examining children.
  - **Green or Blue Filter**: For contrast enhancement when assessing six vascular disorders.
  - **Slit or Streak**: Helpful in determining various levels of lesions, particularly tumors and edematous disc.
- Color coded lens for excellent resolution:

+	0	1	2	3	4	5	6	7	8	9	10	12	15	20	40	
-		1	2	3	4	5	6	7	8	9	10	15	20	25	30	35

- Light strength can be easily regulated with dimmable switch.
- Operated with AUG® 3.5V Ni-MH 1000mAh Rechargeable Battery (Included).
- Can be easily recharge with AUG® Pro Charger.
- 2 hour charge gives more than 3 hours working capacity with 3.5V Ni-MH 1000mAh rechargeable battery.
- Premium chrome plated finishing.
- Available in pouch, also in hard plastic case with spare lamp.
- Easy replacement of bulb.

REFERENCES (In Pouch)

20.000.354 XENON

REFERENCES (In Case) WSB

20.000.358 XENON



BASIC

OPTIKA® | F.O OTO-OPHTHALMOSCOPE SET

REFERENCES (In Case) WSB LED

20.000.400 | 20.000.404

REFERENCES (In Case) WSB

20.000.401 | 20.000.405

**See feature and details on page 5-9.



Plastic Head

BASIC

OPTIKA® | F.O OTO-OPHTHALMOSCOPE SET

REFERENCES (In Case) WSB LED

20.000.402 | 20.000.406

REFERENCES (In Case) WSB

20.000.403 | 20.000.407

**See feature and details on page 5-9.



PREMIUM

OPTIKA® | F.O OTO-OPHTHALMOSCOPE SET

REFERENCES (In Pouch) LED

20.000.430 | 20.000.435

REFERENCES (In Pouch)

20.000.431 | 20.000.436

**See feature and details on page 5-9.

AUG MEDICAL

Quality. Defined



Plastic Head

PREMIUM

OPTIKA® | F.O OTO-OPHTHALMOSCOPE SET

REFERENCES (In Pouch) WSB LED

20.000.432 20.000.437

REFERENCES (In Pouch) WSB XENON

20.000.433 20.000.438

**See feature and details on page 5-9.



PREMIUM

OPTIKA® | F.O OTO-OPHTHALMOSCOPE SET

REFERENCES (In Case) WSB LED

20.000.420 20.000.426

REFERENCES (In Case) WSB XENON

20.000.421 20.000.427

**See feature and details on page 5-9.



Plastic Head

PREMIUM

OPTIKA® | F.O OTO-OPHTHALMOSCOPE SET

REFERENCES (In Case) LED

20.000.422 20.000.428

REFERENCES (In Case) XENON

20.000.423 20.000.429

**See feature and details on page 5-9.



PROFESSIONAL

OPTIKA® | F.O DIAGNOSTIC SET

REFERENCES (In Case) WSB LED

20.000.450	20.000.460

REFERENCES (In Case) WSB

20.000.451	20.000.461

**See feature and details on page 5-9.



Plastic Head

PROFESSIONAL

OPTIKA® | F.O DIAGNOSTIC SET

REFERENCES (In Case) WSB LED

20.000.452	20.000.462

REFERENCES (In Case) WSB

20.000.453	20.000.463

**See feature and details on page 5-9.



PROFESSIONAL

LITERAY® | PRO CHARGE

- Charge two handles simultaneously.
- Arc shaped charging indicator with breathing effects.
- Compatible of Ni-MH & Li-ON batteries.
- Compatible with all rechargeable handles of;

OPTIKA® | CLASIKA® | VETSKOP® | DERMOSKOP®

REFERENCES


60.300.100

AUG MEDICAL

Quality. Defined

NANOSKOP® Series






NANOSKOP® | OTOSCOPES

Modern Pocket Otoscope In A Unique, Compact Design. Handy And Powerful. A New Focus With The Trendy New Colors Black, Royal Blue, Green, White, Pink & Yellow. We Are Initiating An Elegant New Design Era. Trendsetting LED / Xenon / Vacuum Technology Completes The AUG® NANOSKOP® Line Perfectly.

NANOSKOP® | OPHTHALMOSCOPE

Modern Pocket Ophthalmoscope With German LED Technology. Concentrated Bright Light For Perfect Illumination, A Brilliant Image And Accurate Color Rendering. Fixation Star Aperture With Grey Filter For Reducing The Light Intensity. Excellent Optics And Best Color Rendering In Minimum Dimensions, Ideal For Rounds And House Calls. Can Be Used With The NANOSKOP® & SLIMSKOP® Handles. AUG® Special Optics Produce Crisp, Clear Images Of The Whole Area Under Examination And Minimize Reflections. Available With 6 Different Apertures. Its Elegant Design And Classic Black Color Makes The NANOSKOP® A Medical Device That Is A Pleasure To Use Day In And Day Out.





AUG MEDICAL
Quality. Defined



NANOSKOP® | F.O LED OTOSCOPE

FEATURES

- Enclosed fiber optic core with 4.00mm diameter.
- High quality fibers ensuring brilliant light transmission.
- 2.5V German LED technology gives brighter illumination.
- 3x magnifying swiveling lens.
- Can be operated with 2 x AA Batteries.
- Disposable Ear Funnels Dia Ø 2.5mm, 3.0mm, 4.0mm, & 5.0mm
- In Cloth Pouch with free 14 disposable ear funnels.
- Also available in hard plastic case with spare lamp ear funnels.
- 20000 On Off Switch Cycle.
- Lamp can be supersede with help of fingers.

REFERENCES (In Pouch)

20.000.001	20.000.004
20.000.002	20.000.005
20.000.003	20.000.006

REFERENCES (In Case) WSB

20.000.010	20.000.013
20.000.011	20.000.014
20.000.012	20.000.015



NANOSKOP® | F.O XENON OTOSCOPE

FEATURES

- Enclosed fiber optic core with 4.00mm diameter.
- High quality fibers ensuring brilliant light transmission.
- 2.5V German Xenon technology gives brighter illumination.
- 3x magnifying swiveling lens.
- Can be operated with 2 x AA Batteries.
- Disposable Ear Funnels Dia Ø 2.5mm, 3.0mm, 4.0mm, & 5.0mm
- In Cloth Pouch with free 14 disposable ear funnels.
- Also available in hard plastic case with spare lamp ear funnels.
- 20000 On Off Switch Cycle.
- Lamp can be supersede with help of fingers.

REFERENCES (In Pouch)

20.000.020	20.000.023
20.000.021	20.000.024
20.000.022	20.000.025

REFERENCES (In Case) WSB

20.000.030	20.000.033
20.000.031	20.000.034
20.000.032	20.000.035



NANOSKOP® | VACUUM OTOSCOPE

FEATURES

- 2.5V German VACUUM technology gives brighter illumination.
- 3x magnifying swiveling lens.
- Can be operated with 2 x AA Batteries.
- Disposable Ear Funnels Dia Ø 2.5mm, 3.0mm, 4.0mm, & 5.0mm
- In Cloth Pouch with free 14 disposable ear funnels.
- Also available in hard plastic case with spare lamp ear funnels.
- 20000 On Off Switch Cycle.
- Lamp can be supersede with help of fingers.

REFERENCES (In Pouch)

20.000.040	20.000.043
20.000.041	20.000.044
20.000.042	20.000.045

REFERENCES (In Case) WSB

20.000.050	20.000.053
20.000.051	20.000.054
20.000.052	20.000.055



NANOSKOP® | LED & XENON POCKET TORCH

FEATURES

- 2.5V German LED/Xenon Lamp gives brighter illumination.
- Ergonomic & user handy.
- Premium chrome plated finish.
- Shockproof with advance NANOSKOP® handle.
- Operated with 2 x AA size Batteries.
- In Card Board Packaging.
- 20000 On Off Switch Cycle.
- Easy replacement of head.

REFERENCES (In Pouch) LED

20.100.101	20.100.104
20.100.102	20.100.105
20.100.103	20.100.106

REFERENCES (In Pouch)

20.100.151	20.100.154
20.100.152	20.100.155
20.100.153	20.100.156

AUG MEDICAL

Quality. Defined

NANOSKOP® | LED OPHTHALMOSCOPE



2.5V LED

FEATURES

- 2.5V German LED Lamp gives brighter illumination.
- 6 Different Apertures with 2 coloring options:



  - **Small Spot**: For reduced reflection with small pupils.
  - **Large Spot**: For normal fundoscopy.
  - **Semi-Circle**: For reduced reflection with small pupils.
  - **Fixation Star**: For determination of central or eccentric fixation, suitable for examining children.
  - **Green or Blue Filter**: For contrast enhancement when assessing six vascular disorders.
  - **Slit or Streak**: Helpful in determining various levels of lesions, particularly tumors and edematous disc.
- Color coded lens for excellent resolution:

+	0	1	2	3	4	5	6	7	8	9	10	12	15	20	40
-		1	2	3	4	5	6	7	8	9	10	15	20	25	

- Operated with 2 x AA size Batteries.
- Available with cloth pouch & in hard plastic case with spare lamp.
- 20000 On Off Switch Cycle.
- Easy replacement of bulb.

REFERENCES (In Pouch)

20.000.060	20.000.063
20.000.061	20.000.064
20.000.062	20.000.065

REFERENCES (In Case) WSB

20.000.066	20.000.069.1
20.000.067	20.000.069.2
20.000.068	20.000.069.3

NANOSKOP® | XENON OPHTHALMOSCOPE



2.5V XENON

FEATURES

- 2.5V German Xenon Lamp gives brighter illumination.
- 6 Different Apertures with 2 coloring options:



  - **Small Spot**: For reduced reflection with small pupils.
  - **Large Spot**: For normal fundoscopy.
  - **Semi-Circle**: For reduced reflection with small pupils.
  - **Fixation Star**: For determination of central or eccentric fixation, suitable for examining children.
  - **Green or Blue Filter**: For contrast enhancement when assessing six vascular disorders.
  - **Slit or Streak**: Helpful in determining various levels of lesions, particularly tumors and edematous disc.
- Color coded lens for excellent resolution:

+	0	1	2	3	4	5	6	7	8	9	10	12	15	20	40
-		1	2	3	4	5	6	7	8	9	10	15	20	25	

- Operated with 2 x AA size Batteries.
- Available with cloth pouch & in hard plastic case with spare lamp.
- 20000 On Off Switch Cycle.
- Easy replacement of bulb.

REFERENCES (In Pouch)

20.000.070	20.000.073
20.000.071	20.000.074
20.000.072	20.000.075

REFERENCES (In Case) WSB

20.000.076	20.000.079.1
20.000.077	20.000.079.2
20.000.078	20.000.079.3



BASIC

NANOSKOP® | F.O LED OTO-OPHTHALMOSCOPE SET

REFERENCES (In Case) WSB

20.000.090	20.000.093
20.000.091	20.000.094
20.000.092	20.000.095

**See feature and details on page 14-16.



BASIC

NANOSKOP® | F.O XENON OTO-OPHTHALMOSCOPE SET

REFERENCES (In Case) WSB

20.000.101	20.000.104
20.000.102	20.000.105
20.000.103	20.000.106

**See feature and details on page 14-16.



BASIC

NANOSKOP® | VACUUM OTO-OPHTHALMOSCOPE SET

REFERENCES (In Case) WSB

20.000.111	20.000.114
20.000.112	20.000.115
20.000.113	20.000.116

**See feature and details on page 14-16.



PREMIUM

NANOSKOP® | F.O LED OTO-OPHTHALMOSCOPE SET

REFERENCES (In Pouch)

20.000.131	20.000.134
20.000.132	20.000.135
20.000.133	20.000.130

**See feature and details on page 14-16.



PREMIUM

NANOSKOP® | F.O XENON OTO-OPHTHALMOSCOPE SET

REFERENCES (In Pouch)

20.000.146	20.000.149
20.000.147	20.000.150
20.000.148	20.000.144

**See feature and details on page 14-16.



PREMIUM

NANOSKOP® | VACUUM OTO-OPHTHALMOSCOPE SET

REFERENCES (In Pouch)

20.000.161	20.000.164
20.000.162	20.000.165
20.000.163	20.000.166

**See feature and details on page 14-16.



PREMIUM

NANOSKOP® | F.O LED OTO-OPHTHALMOSCOPE SET

REFERENCES (In Case) WSB

20.000.121	20.000.124
20.000.122	20.000.125
20.000.123	20.000.126

**See feature and details on page 14-16.



PREMIUM

NANOSKOP® | F.O XENON OTO-OPHTHALMOSCOPE SET

REFERENCES (In Case) WSB

20.000.136	20.000.139
20.000.137	20.000.140
20.000.138	20.000.141

**See feature and details on page 14-16.



PREMIUM

NANOSKOP® | VACUUM OTO-OPHTHALMOSCOPE SET


REFERENCES (In Case) WSB

20.000.151	20.000.154
20.000.152	20.000.155
20.000.153	20.000.156

**See feature and details on page 14-16.

SLIMSKOP® Series






SLIMSKOP® | OTOSCOPES

Modern Otoscope In A Unique, Compact Design. Handy And Powerful With A Great Combination Of Rheostat Light Control Handle. A New Focus With The Advance Rheostat Handle Improve The Efficiency Of Examinations And Diagnoses. We Are Initiating An Elegant New Design Era. Trendsetting German LED Technology Completes The SLIMSKOP® Line Perfectly.

SLIMSKOP® | OPHTHALMOSCOPE

Modern Pocket Ophthalmoscope With German LED Technology. Concentrated Bright Light For Perfect Illumination, A Brilliant Image And Accurate Color Rendering. Fixation Star Aperture With Grey Filter For Reducing The Light Intensity. Excellent Optics And Best Color Rendering In Minimum Dimensions, Ideal For Rounds And House Calls. Can Be Used With The NANOSKOP® & SLIMSKOP® Handles. AUG® Special Optics Produce Crisp, Clear Images Of The Whole Area Under Examination And Minimize Reflections. Available With 6 Different Apertures. Its Elegant Design And Classic Black Color Makes The SLIMSKOP® A Medical Device That Is A Pleasure To Use Day In And Day Out.







SLIMSKOP® | F.O LED OTOSCOPE

FEATURES

- Enclosed fiber optic core with 4.00mm diameter
- High quality fibers ensuring brilliant light transmission.
- 2.5V German LED technology gives brighter illumination.
- 3x magnifying swiveling lens.
- Rheostat light control switch makes it user handy.
- Premium chrome plated finish with elegant shape.
- Operated with 2 x AA Batteries.
- Disposable Ear Funnels Dia Ø 2.5mm, 3.0mm, 4.0mm, & 5.0mm
- In Cloth Pouch with free 14 disposable ear funnels.
- Also available in hard plastic case with spare lamp.
- 20000 On Off Switch Cycle.
- Easy replacement of bulb.

REFERENCES (In Pouch)

20.000.200

REFERENCES (In Case) WSB

20.000.205



SLIMSKOP® | F.O XENON OTOSCOPE

FEATURES

- Enclosed fiber optic core with 4.00mm diameter
- High quality fibers ensuring brilliant light transmission.
- 2.5V German Xenon technology gives brighter illumination.
- 3x magnifying swiveling lens.
- Rheostat light control switch makes it user handy.
- Premium chrome plated finish with elegant shape.
- Operated with 2 x AA Batteries.
- Disposable Ear Funnels Dia Ø 2.5mm, 3.0mm, 4.0mm, & 5.0mm
- In Cloth Pouch with free 14 disposable ear funnels.
- Also available in hard plastic case with spare lamp.
- 20000 On Off Switch Cycle.
- Easy replacement of bulb.

REFERENCES (In Pouch)

20.000.201

REFERENCES (In Case) WSB

20.000.206

AUG MEDICAL

Quality. Defined

SLIMSKOP® | LED OPHTHALMOSCOPE

FEATURES





- 2.5V German LED Lamp gives brighter illumination.
- 6 Different Apertures with 2 coloring options:



  - **Small Spot**: For reduced reflection with small pupils.
  - **Large Spot**: For normal fundoscopy.
  - **Semi-Circle**: For reduced reflection with small pupils.
  - **Fixation Star**: For determination of central or eccentric fixation, suitable for examining children.
  - **Green or Blue Filter**: For contrast enhancement when assessing six vascular disorders.
  - **Slit or Streak**: Helpful in determining various levels of lesions, particularly tumors and edematous disc.
- Color coded lens for excellent resolution:

+	0	1	2	3	4	5	6	7	8	9	10	12	15	20	40
-		1	2	3	4	5	6	7	8	9	10	15	20	25	

- Rheostat light control switch makes it user handy.
- Premium chrome plated finish with elegant shape
- Operated with 2 x AA size Batteries.
- In Cloth Pouch.
- Also available in hard plastic case with spare lamp.
- 20000 On Off Switch Cycle.
- Easy replacement of bulb.

REFERENCES (In Pouch)

20.000.215

REFERENCES (In Case) WSB

20.000.220

SLIMSKOP® | XENON OPHTHALMOSCOPE

FEATURES





- 2.5V German Xenon Lamp gives brighter illumination.
- 6 Different Apertures with 2 coloring options:



  - **Small Spot**: For reduced reflection with small pupils.
  - **Large Spot**: For normal fundoscopy.
  - **Semi-Circle**: For reduced reflection with small pupils.
  - **Fixation Star**: For determination of central or eccentric fixation, suitable for examining children.
  - **Green or Blue Filter**: For contrast enhancement when assessing six vascular disorders.
  - **Slit or Streak**: Helpful in determining various levels of lesions, particularly tumors and edematous disc.
- Color coded lens for excellent resolution:

+	0	1	2	3	4	5	6	7	8	9	10	12	15	20	40
-		1	2	3	4	5	6	7	8	9	10	15	20	25	

- Rheostat light control switch makes it user handy.
- Premium chrome plated finish with elegant shape
- Operated with 2 x AA size Batteries.
- In Cloth Pouch.
- Also available in hard plastic case with spare lamp.
- 20000 On Off Switch Cycle.
- Easy replacement of bulb.

REFERENCES (In Pouch)

20.000.216

REFERENCES (In Case) WSB

20.000.221



BASIC

SLIMSKOP® | F.O OTO-OPHTHALMOSCOPE SET

REFERENCES (In Case) WSB LED

20.000.230

REFERENCES (In Case) WSB XENON

20.000.231

**See feature and details on page 21-22



PREMIUM

SLIMSKOP® | F.O OTO-OPHTHALMOSCOPE SET

REFERENCES (In Case) WSB LED

20.000.240

REFERENCES (In Case) WSB XENON

20.000.241

**See feature and details on page 21-22



PREMIUM

SLIMSKOP® | F.O OTO-OPHTHALMOSCOPE SET

REFERENCES (In Pouch) LED

20.000.250

REFERENCES (In Pouch) XENON

20.000.251


**See feature and details on page 21-22

DERMOSKOP® Series



DERMSKOP® | NANO & STANDARD

The Aug® Dermoskop Offers Unrevealed Polarized Optics & The Functionality To Toggle Between Polarized And Non-polarized Illumination. No Time Consuming Exchange Of Contact Plates Is Necessary, At The Same Time Contact Dermatoscopy With Immersion Liquids Is Possible At Any Point, Allowing The Examination Method To Be Matched With The Respective Pigmented Skin Lesion To Obtain The Best Diagnosis. German LED Technology Gives Concentrated Bright Light For Perfect Illumination With Dimmable Switch You Can Regulate The Light Strength Easily. High Quality Bayonet Fitting Metal Handle With Special Dimmable Switch & Knurled Surface Makes The Product Grip Secured And Efficient. AUG® DERMOSKOP® Has Excellent Quality And High Durability With Long Lasting Companion For Skin Diagnostics.





DERMOSKOP® | LED / XENON NANO

FEATURES

- 2.5V German LED / Xenon Lamp technology gives brighter illumination.
- 10x Magnifying Lens.
- Dimmable Switch.
- Operated with 2 x C Size Batteries.
- In Fabric Pouch.
- Also Available in Plastic Case with Spare Lamp & Contact Plate.
- Bayonet system fitting.
- Easy replacement of bulb.

REFERENCES (In Pouch)

- 20.000.901 LED
- 20.000.902 XENON

REFERENCES (In Case) WSB

- 20.000.906 LED
- 20.000.907 XENON



DERMOSKOP® | LED STANDARD

FEATURES

- 2.5V German LED Lamp technology gives brighter illumination.
- 10x Magnifying Lens.
- Dimmable Switch.
- Operated with 2 x C Size Batteries.
- In Fabric Pouch.
- Also Available in Plastic Case with Spare Lamp & Contact Plate.
- Bayonet system fitting.
- Easy replacement of bulb.

REFERENCES (In Pouch)

20.000.921

REFERENCES (In Case) WSB

20.000.926

DERMOSKOP® | XENON STANDARD & RC



FEATURES

- 2.5V German Xenon Lamp technology gives brighter illumination.
- 10x Magnifying Lens.
- Dimmable Switch.
- Operated with 2 x C Size Batteries.
- Operated with AUG® 3.5V Ni-MH 1000mAh Rechargeable Battery (Included).
- Can be easily recharge with AUG® Pro Charger.
- 2 hour charge gives more than 3 hours working capacity with 3.5V Ni-MH 1000mAh rechargeable battery.
- In Fabric Pouch.
- Also Available in Plastic Case with Spare Lamp & Contact Plate.
- Bayonet system fitting.
- Easy replacement of bulb
- Bayonet system fitting.
- Easy replacement of bulb.

REFERENCES (In Pouch)

20.000.922 XENON

20.000.923 XENON

REFERENCES (In Case) WSB

20.000.927

20.000.928 XENON

AUG MEDICAL
Quality. Defined

ACCESSORIES



DISPOSABLE EARTIP

Compatible with
NANOSKOP® | SLIMSKOP® | OPTIKA®

SIZE	REFERENCES	
Ø 2.5mm	60.200.120	Pack of 200
Ø 3.0mm	60.200.220	Pack of 200
Ø 4.0mm	60.200.320	Pack of 200
Ø 5.0mm	60.200.420	Pack of 200



INSUFFLATION BULB WITH PIPE

Compatible with
NANOSKOP® | SLIMSKOP® |OPTIKA®

REFERENCES	
60.200.090	Bulb with Valve & Pipe



POUCH

Compatible with
NANOSKOP® | SLIMSKOP® |OPTIKA®

REFERENCES		
60.800.401	Small	Compatible with all products
60.800.402	Large	Compatible with all products



PLASTIC BOX

Compatible with
NANOSKOP® | SLIMSKOP® |OPTIKA®|DERMOSKOP®

REFERENCES		
60.800.451	Small	Available with all type of inlay
60.800.452	Large	Available with all type of inlay



CLIP LAMP(POCKET TORCH)

Compatible with
NANOSKOP® Pocket Torch

REFERENCES
60.200.650

AUG MEDICAL
Quality. Defined

ACCESSORIES



MOUTH MIRROR

REF: 60.800.130
REF: 60.800.140



TONGUE DEPRESSOR

REF: 60.800.150



LARYNGEAL ROD(STRAIGHT)

REF: 60.800.160

LAMPS FOR OTOSCOPE

Compatible with
NANOSKOP® | SLIMSKOP® | OPTIKA®



GERMAN LED LAMP

REF: 60.100.200 **Volt:** 2.5V
REF: 60.100.205 **Volt:** 3.5V



GERMAN XENON LAMP

REF: 60.100.600 **Volt:** 2.5V
REF: 60.100.605 **Volt:** 3.5V



GERMAN VACUUM LAMP

REF: 60.100.650 **Volt:** 2.5V
REF: 60.100.655 **Volt:** 3.5V

LAMPS FOR OPHTHALMOSCOPE

Compatible with
NANOSKOP® | SLIMSKOP® | OPTIKA®



GERMAN LAMP | LED & XENON

REF: 60.100.700 **Light:** LED
REF: 60.100.750 **Light:** Xenon



GERMAN LAMP | LED & XENON

REF: 60.100.915 **Light:** LED 2.5V
REF: 60.100.905 **Light:** Xenon 2.5V
REF: 60.100.910 **Light:** LED 3.5V
REF: 60.100.900 **Light:** Xenon 3.5V



GERMAN VACUUM LAMP

REF: 60.100.090 **Volt:** 2.5V
REF: 60.100.091 **Volt:** 3.5V



LED TORCH LAMP

REF: 60.100.250 **Volt:** 2.5V

Quality. Defined

CONTACT AUG MEDICAL
Tel: +1 305 671 9396
Email: info@augmedical.com
www.augmedical.com

APPROVED